



Consumables & Packaging

Revolutionizing packaging, one solution at a time.

Innovative. Reliable. Evolving.



Earth conscious



National - Distribution - Personalised Service



Quick lead times & just-in-time stock
turn around



Customised Packaging Solutions



Smart Supply-Chain Support

Packaging
PPE
Automated Packaging Machinery

Index

Product catalogue 2025

pages 1 - 3 Corrugated

pages 4 - 6 Plastics

pages 7 - 10 Tapes

pages 11 - 16 General

pages 17 - 19 Barcoding & labelling

pages 20 - 23 Machinery

pages 24 - 27 Cleaning, safety & chemicals

pages 28- 29 Strapping


pages 30 - 31 Strapping machinery

pages 32 - 35 Coding & marking

pages 36- 39 Materials handling

Please enquire for an accurate quote or for any further information you require

Die cut boxes



Archive storage boxes



Regular slotted cartons (RSC)



File storage boxes



Die cut boxes

- Manufactured to customised designs and sizes.
- Various board grade options available.
- Die cut boxes are suitable for best fit options and effective size optimisation.
- Ideal for retail applications.
- Plain and printed options available

Regular slotted cartons (RSC)

- RSC boxes can be manufactured plain or printed according to customer specifications.
- Multiple board options available on custom orders.
- Dimensions always recorded by L x W x H.

Archive storage boxes

- Archive storage box constructed from a two piece base and lid.
- Supplied flat and easy to assemble.
- Suitable for document and file storage.
- Punched out handles allow for easy handling and carrying.
- Simply reverse the assembly action and the box folds.

File storage boxes

- Suitable for a single lever arch file.
- Protects outer file and contents/documents.
- Supplied flat and easy to assemble.

Brown kraft stock boxes



- A comprehensive range of popular brown kraft single and double wall cartons.
- Available in various stock sizes.
- Ideal for moving home or offices, as well as general storage.
- Supplied flat and easily assembled.
- Available ex-stock with no minimum quantity required

REFERENCE:

- STOCK 1	150 x 100 x 100
- STOCK 2	230 x 150 x 150
- STOCK 3	250 x 150 x 250
- STOCK 4	300 x 230 x 300
- STOCK 5	450 x 300 x 300
- STOCK 6	600 x 450 x 300

SIZE: L x W x H (mm)

REFERENCE:

- STOCK 7	450 x 450 x 500
- STOCK TVL 2	500 x 400 x 145
- STOCK TVL 4	500 x 400 x 285
- STOCK TVL 6	500 x 400 x 450
- STOCK TVL 9	500 x 400 x 655
- STOCK TVL 12	500 x 400 x 780

SIZE: L x W x H (mm)

Corrugated

- Durable heavy duty corrugated sleeve with top and bottom rigid corrugated board end caps.
- Made from high grade DWB board with wooden pallet base.
- Suitable for heavy and robust package loads.
- Easy to forklift and transport.
- Supplied flat for easy storage.
- Simple to assemble.

REFERENCE:

SIZE:

J1	1190 x 990 x 560
J2	985 x 985 x 730
J3	985 x 985 x 925

Covak pallet boxes



Correx



- These cartons are made from polypropylene which is nontoxic, reusable, water resistant and can be recycled.
- Manufactured to order.

Corrugated board grades



single face



single wall



double wall



triple wall

SKF Corroboard



Protective single faced corrugated board used for protective wrapping.

- Suitable for surfaces that are moisture sensitive.
- Can also be slit down to specified widths.

WIDTH:

36" SFK: (910)

WEIGHT PER ROLL:

+/- 22kg / Roll

48" SFK: (1220)+/- 30kg / Roll

60" SFK: (1520)+/- 35kg / Roll

72" SFK: (1820)+/- 40kg / Roll



eco-friendly

Corrugated cardboard is among the most efficiently recycled materials, with recovery rates above 85%. Recycling one tonne saves over 26,000 litres of water, conserves energy, and reduces landfill mass — all while decomposing naturally within weeks.

Mandini paper

- Can be slit into predetermined sheet sizes.

SIZE:

460 x 80gsm
610 x 80gsm
760 x 80gsm
910 x 80gsm
1220 x 80gsm

Kraft paper

- Can be slit into predetermined sheet sizes.

SIZE:

460 x 80gsm
610 x 80gsm
760 x 80gsm
910 x 80gsm
1220 x 80gsm

Emtini liner board

- Also known as Pattern board.

SIZE:

910mm x 125
1145mm x 160
1270mm x 160
1525mm x 160

WEIGHT:

160, 230, 255gsm
160, 230gsm
160, 230, 255, 340gsm
160, 230gsm

Brown paper roll products



Dimple pack

Used predominantly in the poultry industry, furniture and product protection.

SIZES: 300mm x 75mm / 600mm x 75mm / 1200mm x 75mm



Plastic stock

- Clear Stock Bags, virgin grade LDPE.
- Available in 25 & 50mic.

MOQ UNIT: 1000

SIZE: (width x length)

150 x 250	300 x 400/450
200 x 300	450 x 600
250 x 400	600 x 900



Carrier bags

- LDPE or HDPE.
- Available in printed and in plain.

MOQ UNIT: 1000

SIZE: (width x length)

Mini	200 + 100 x 460
Handy	240 + 130 x 460
Midi	270 + 130 x 560



Mini grip bags

- LDPE.
- Available in 40mic.

MOQ UNIT: 1000 / pkt

SIZE:

65 x 80	180 x 320
80 x 100 / 120	215 x 315
100 x 150	250 x 360
120 x 180	305 x 420
150 x 180 / 250	



Vacuum bags

- Plain, clear.

SIZE: (width x length)

110mm x 185mm
200mm x 450mm
150mm x 300mm
200mm x 300mm



Protective void fill cushions

SIZE:

60mm, 80mm & 160mm

Plastics



Skin packaging

- This plastic shrinks around actual product and adheres to a backing card.
- Products are tightly secured to the card and clearly displayed on hanging pins in retail outlets.
- Suitable for small components in the plumbing, tooling, adhesive and stationery industries.



Pallet wrap

- Available in stock sizes, and custom made sizes.
 - Various micron available.
 - Hand rolls and machine rolls.
 - Extended Core / Normal Core.
 - Available in clear or printed in 1 or 2 colours on a clear or white material.
- MOQ :** Roll



Black pallet wrap

- Also available along with the standard clear films.
- Suitable to block the product from being visually exposed on the pallet and may assist from a security point of view.
- The film may even be used for light sensitive product by blocking out sunlight and UV.

Printed & plain courier bags



- Opaque plastic envelopes for document storage and courier.
- Can be sequentially printed - L x W + LIP.

MOQ UNIT: 1000 / Box
SIZE:
A3, A4

Furniture wrap



- Recycled tubing / furniture wrap.
- Supplied on a roll and ideal for wrapping furniture to protect against dirt, water and abrasion during storage or transit.

SPECIFICATIONS:

Weight: 40 - 50Kg
Width (mm): 1850
Micron: 100

LDPE Plastic films



- Also available as LDPE Shrink.
- Available in Tubing, Centrefold & Lay flat sheeting.
- Printed options are available.
- Stock sizes available and made to order.

UNIT MEASUREMENT: Kg

Ultra shrink film



- Polyolefin Performance Shrink film available in:
13, 15, 19 & 25mic.

SIZE: (width) range from 200 - 600mm.

Plastics



Printed polyethylene & polypropylene bags

- Made according to customer specification.



Stretch refill-roll

- Ideal for bundling.
- Custom sizes available on request.

SIZE: 100 x 200mm

MICRON: 13/15mic



Plastic shroud

Made according to customer specification.



Pallet wrap dispenser

Getting to the point: Plastic symbols:



always pick the appropriate compound



Airpad film

SIZE: 420mm x 1000mm



Matress bags

Available in various sizes.

Clear and buff packaging tape



- Great quality and performance packaging tapes at affordable pricing.
- Available in both Hotmelt Premium, and water-based Acrylic Econo Grade.

SIZE:	SALES UNIT:
12 x 50	144 / Case
18 x 50	96 / Case
24 x 50	72 / Case
36 x 50	48 / Case

SIZE:	SALES UNIT:
48 x 40 / 45 / 50	36 / Case
48 x 100	36 / Case
72 x 50 / 100	24 / Case

Customized printed tape

- Great quality and performance printed packaging tapes in both Hotmelt Premium and water-based Acrylic Econo Grade.



Double sided tape

- **RDA Polypropylene:** General purpose high tack double sided film with silicone release paper.
- **GDA cloth:** Coated on both sides with high grab adhesive. Conforms well to uneven surfaces. Silicon paper interleave.
- **Mirror tape:** Foam tape in three thicknesses for general purpose applications used in the signage industry with the sizes you already have.



Metal tape dispenser

- Pistol grip, hand held.

SIZE: 48mm
MOQ UNIT: each



Filament tape dispenser

- Hand held.

SIZE: 12mm, 18mm, 24mm
SALES UNIT: each



Bag neck sealer

- Goose neck tape dispenser

MOQ UNIT: each



Water activated gum tape

- Reinforced and plain.
- Available in custom prints.

SIZE:
48 x 135 / 80
60 x 135 / 80
72 x 135 / 80

SALES UNIT:
15 / Bundle
12 / Bundle
10 / Bundle



Tapes

Eco pack

- Brown craft paper tape with a strong adhesive for high speed automation.
- Available in custom prints.

Coloured vinyl / polypropylene tape

- Available in all colours



SIZES:
2 / 18 / 24 / 24 / 36 / 48 x 50m

SALES UNIT:
36 / Case

Heavy duty carton tape dispenser

- Pistol grip, hand held.

SIZE: 48mm
MOQ UNIT: each

Transfer tape dispenser

- Available in all colours.



- General purpose double sided tissue paper.
- Easy tear with silicon release paper.
- Great for craft and sealing small cartons.

Carton sealing tape dispensers

- Pistol grip, hand held.
- For clear & buff tape.

SIZE:
48mm
72mm

SALES UNIT:
each

Machine rolls

- Available in clear and printed.

SIZE:
48mm x 1000mm
72mm x 1000mm



Tapes

Filament tape

- Cross-woven with glass filaments.
- Ideal for bundling, Strapping, securing & palletising heavy loads.

SIZE:	SALES UNIT:
12 x 40	72 / Case
18 x 40	48 / Case
24 x 40	36 / Case
36 x 40	24 / Case
48 x 40	18 / Case
72 x 40	16 / Case



Reflective tape

- SABS and Non-SABS reflective tapes available.



Printed / security tape

- White water-based acrylic tape with a red security warning.



Anti-slip tape

- Also known as **grip tape**.
- Available in black and chevron yellow and black.
- Used for slippery surfaces.

Duct tape

- Available in green, white, red, blue, yellow, black and silver.

SIZE:	MOQ UNIT:
48mm x 25m	36 / Case
48mm x 50m	

Masking tape

- Utility 60 & 80 Degree high temp applications.
- Ideal for paint masking or surface protection.

SIZE:	MOQ UNIT:
12 x 40	72 / Case
18 x 40	48 / Case
24 x 40	36 / Case
36 x 40	24 / Case
48 x 40	12 / Case



Stereo mounting tape

- Eurographic stereo mounting tape.

SIZE:	SALES UNIT:
330 x 4.5mm	12 Rolls / Case

Product:	Liner:
781 / 10 PVC	Brown
781 / 20 PVC	White
781 / 30 Polyprop	Green



Electrical insulation tape

- Available in all colours, flame retardant & self-extinguishing.

SIZE:	MOQ UNIT:
12 x 10	400 / Case
18 x 10	250 / Case
18 x 20	160 / Case
48 x 20	64 / Case



Poly mask tape

- Available in various colours.
- Available in customer specification of size and adhesive.
- Low tack protection film.



Aluminium tape

- A bright soft temper aluminium tape.
- Suitable for thermal insulation & moisture vapour sealing.

SIZE: 48 x 50mm
MOQ UNIT: 24 / Case



Barrier tape

- Plastic LDPE.
- Available in custom prints.

SIZE: 75 x 500 mm
SALES UNIT: 75 x 100m / Roll



Floor marking tape

- P.V.C with high tack adhesive.
- Available in red, green, yellow, red & white, black & yellow.

SIZE: 48 x 33mm



Printed barrier tape

- Available in LDPE.
- Made according to customer specification - any text on any colour.



General

Cable ties

Full range available to suit your every need.

Rapid staples

MOQ UNIT: 5000 / Box

SIZE:

13/8	73/8
24/8	73/10
26/6	73/12
26/8	140/8
	140/10



Cotton twine

SIZE:	SALES UNIT:
104 x 100g	20 / Case
304 x 100g	20 / Case
104 x 500g	10 / Case
304 x 500g	10 / Case

Office stationery

Please contact your sales representative for the full list.

Polyprop twine

Medium and heavy duty polyprop. Available in black & multicoloured.

SIZE: 5kg Reels

Sisal twine

SIZE:	SALES UNIT:
1 Ply - 2Kg Rolls	10 / Bale
2 Ply - 2Kg Rolls	10 / Bale
3 Ply - 2Kg Rolls	10 / Bale

Tarred sisal twine

SIZE:	SALES UNIT:
1 Ply - 500g	24 / Bale
1 Ply - 1 Kg Rolls	10 / Bale
1 Ply - 2Kg Rolls	10 / Bale

Bag stitching machine

- Polyester bag stitching thread (80/3) is made from high quality ring spun polyester yarn, and is widely used for closing PP and paper bags.
- The stitching thread is available on small spools suitable for hand held bag stitching.



Office stapler & staples

- Rapid 31 stapler with 73/12 staples.
- Heavy duty office stapler.

Rubber bands

- Available in 100g / 500g bags.
- 1 kg Bulk pack & 20kg Boxes

SALES UNIT: Kg

SIZE:

10/12/14/16/18/19/32/34/64

Cutter knives & blades

Tec3400 glue gun



Paper dispenser

- Table top or wall mount.

SIZE:

610 / 760 / 910

Bulk shredded paper

SIZE: 50kg

Minimum quantity - 10 kg.

Available in 10kg increments.

Available in white.

Wood wool

- 100 % environmentally friendly.

- Manufactured from timber.

- Ideal for general packaging and fragile product applications.

SIZE:

100g / 500g / 1kg / 10kg bags



Decorative shredded paper

SIZE: 50g packs

Various colours available

Tissue paper

500 sheets per ream 19gsm.

Various colours available.

SIZE: 500 x 750mm

Tissue on a roll 500mm x 10m

• **Cap Paper**

- Acid free tissue paper.

Gift bags

- Standard sizes.

- Corporate branded options.



Tar kraft

- Also known as Moisture Barrier Paper.

- Tarkraft reinforced and non-reinforced bitumized kraft paper also known as waterproof paper is ideally suited for steel wrapping and crate lining.

- Bitumized Kraft Paper is supplied in roll form, and are available in reinforced and non-reinforced.

- The rolls are a standard length of 100 meters.

Gift wrap dispenser



- Available in wall mount or table top.

SIZE:

610mm / 760mm / 910mm

Gift wrap rolls



- Occasional gift wrap.

- Custom branded gift wrap.

- Shop-front covers.

Aero profile edge protectors

- Standard sizes available.

- Lengths 2m / 5m



Aerothene related items

- Aero available in furniture covers.

- Slit aero sheets.

- Aero Kraft 2mm x 1250 x 100m

- Aero Pads / Blocks.

Paper bags

- Brown/White paper bags.

- Shopper bags, SO Range, Bakery Bags, Duplex bags, Carrier bags, Window bags, Grease proof.

- Full range available.

- Available plain and printed.

SIZE: Small / Medium / Large



Cellophane rolls

SIZE: 1m x 100m centerfold.

Various colours available.

Standard bubble wrap

- Protective bubble plastic wrapping.
- All bubble wrap can be slit into smaller rolls.

MOQ UNIT: Roll

SIZE:

- 1.220 x 80m (Small Bubble)
- 1.220 x 100m (Small Bubble)
- 1.250 x 48m (Big Bubble) D120
- 1.250 x 100m (Small Bubble)

Anti-static bubble wrap

SIZE: 1.2 x 100m Small Bubble

D120 bubble wrap

SIZE: 1.2m x 48m

Can be slit into 2/3/4 pieces.



Aero netting

- Standard sizes available.



Combilay

- LDPE laminated arothene.
- Used for underfloor lining.

MOQ UNIT: Roll

SIZE:

- 2 x 1250 x 100 x 80mic 1/D Black
- 2 x 1250 x 100 x 80mic 1/D Clear
- 2 x 1250 x 100 x 80mic H/D Clear
- 2 x 1250 x 100 x 180mic 1/D Black)



Bubble wrap bags

- Custom made.

Anti-static bubble bags

- Custom made.

Cushion kraft

- Kraft lined bubble wrap.
- Protective wrapping for furniture.



Bubble wrap dispenser

- Custom made.
- Standard horizontal table.
- Vertical stand.



Aerothene

- Polyethylene foam used by furniture industry for wrapping & protecting of table legs, desk tops, etc.

SALE UNIT: Roll

SIZE:

50 Meters:	100 Meters:	200 Meter:
5mm x 1250	2mm x 1250	1mm x 1500
5mm x 1500	3mm x 1500	1mm x 1250
	5mm x 1500	2mm x 1250
		2mm x 1500





Wiggly worms

- SALES UNIT:** Bag
- Sold in cubic m3 bag.



Fishtainer ice-box

- 15kg.
 - Density: 20grams/litre.
 - All standard polystyrene cooler boxes.
- SIZE:** 840 x 390 x 190



Silica gel sachets

- Sachets of silica gel, or desiccant gel, are moisture absorbing crystals that eliminate damage caused by condensation, rust and fungal growth.
- Available in a range of sachet sizes to suit your packaging requirements.

SIZE:

1g, 5g, 10g, 100g, and 250g



Chipboard

- Ideally used as backing board for picture frames, back covers of duplicate books and in the furniture industry.

SIZE:

1020 x 770 x 1.2mm

1020 x 770 x 1.8mm

Other sizes available.



Newsprint

- Unprinted newsprint.
- Ideal to wrap up crockery.
- Can be custom printed.
- Ideally used by furniture removal companies.

SALES UNIT: kg

White - 10kg / 15kg bundle

Polywoven bags / bulk bags printed on or plain



- Polywoven bags are used in all types of packaging industries. Packaging items like: Dog food, flour, rice, sand, spices, food, general moving, stock, clothing, blankets, rubbish, charcoal, wood, etc.
- Custom made and standard sizes available

Stitching wires



- Stitching wire GALVANIZED
- 2.50mm x 0.5mm - 5KG
- Stitching Wire COPPER
- 2.35mm x 0.61mm - 4KG/ROLL

general



Edge guards

- Made from pressed board and are used to secure pallet loads as well as absorb strapping damage on palletized products.

SALES UNIT: per / meter

SIZE:

30 x 30 x 4mm x 650
40 x 40 x 3mm x 1200
40 x 40 x 4mm x 1000
40 x 40 x 4mm x 1200
40 x 40 x 4mm x 2000
50 x 50 x 2mm x 2000
75 x 75 x 4mm x 1200



Postal tubes

- Cardboard postal tubes with end caps.
- Can be printed or plain.
- Used for storing and protecting documents, photos and posters.

MOQ UNIT: Each

SIZE:

A4 - 250 (L) x 37.8 (D) x 1.5 (Thick)
A3 - 350 (L) x 51.6 (D) x 1.5 (Thick)
A2 - 470 (L) x 51.6 (D) x 1.5 (Thick)
A1 - 650 (L) x 51.6 (D) x 1.5 (Thick)
A1 Large - 650 (L) x 102 (D) x 1.5 (Thick)
A0 - 920 (L) x 90 (D) x 1.5 (Thick)



Corner protectors

- Cardboard corner protectors.
- Plastic corner protectors.

MOQ UNIT: 1000

SIZE: 19mm
32mm

Pacslopes



- Self-Adhesive clear waybill envelope.
- Provide protection for waybills and invoices on any courier sent item.

SALES UNIT: per/ bag

SIZE:

A6 - 175 x 143mm - 1000/box
A5 - 240 x 180mm - 1000/box
A4 - 345 x 250mm - 500/box



Wire ties & tools

- Used mainly in closing poly-woven and paper sacks.



Heavy duty stapling pliers

Top closer

- This heavy duty manually operated stapler is designed to staple the top of a carton box closed.
- For use with 16mm A58 copper staples.

Bottom closer

- Foot operated



top closer

bottom closer

Industrial staples





Table top **heat sealer**

- Seals virtually any plastic material.
- With built-in cutter.

SIZE: 200mm / 300mm / 400mm / 500mm



Foot operated **heat sealer**

- Seals virtually any plastic material.
- With built-in cutter.

SIZE: 600mm / 450mm



Food film dispenser **HW450**

- Model: HW-450
- Max seal width: 450mm
- Temperature: 160 C
- Power: 300W
- Dimensions: 64 x 52 x 18cm
- Weight: 7.5kg



Film roll for food film dispenser **HW450**

SIZE PER ROLL:
380mm x 1000m



Vacuum packer **DZ400**

- Double bar sealer 400mm.
- Increased shelf life on all produce.

Chamber Size:

420mm x 435mm x 70mm

Sealing Size:

400mm x 13mm - 2 seals

Voltage:

220/50 60Hz

Dimension:

540mm x 490mm x 560mm

Weight:

84kg

Vacuum Pump Capacity:

20m3/per hour

Power of Consumption:

2900w

Motor:

0.75kw



Continuous band sealer - **DBF770 (vertical & horizontal)**

- Power: 220v / 50hz
- Motor Power: 50w
- Sealing Speed: 0 - 12M / min
- Sealing Width: 8 - 10mm

Distance from seal centre to conveyer table:

- Vertical: 150 - 270mm

- Horizontal: 10 - 40mm

- Temp Range: 0 - 300 oC

- Sealing Thickness: 0.02 - 0.08mm

Max Single Package Conveyor Loading: 1kg

Max Overall Loading of Conveyor

SIZE :3kg

-- Horizontal: 840 x 380 x 320 (LxWxH)

-- Vertical: 840 x 380 x 550 (LxWxH)

Barcoding & labeling



Point of sale rolls

- Can be printed.

SIZE:
76 x 76 mm
83 x 80 mm



Sequential numbered labels

Customisable to any shape, size & quantity.



Tamper proof labels

- Customisable.
- Material: Foam Tack
- Sales unit: 1000

SIZE:
50 x 101 mm
165 x 50 mm



Fragile labels

SIZE:

Fragile Handle With Care

45 x 101 mm

80 x 153 mm

150 x 101 mm

Packing Slip Enclosed

150 x 51 mm

This Side Up

90 x 101 mm



Blank labels

- All substrates.
- Customisable.
- Semi-gloss

SIZE:
40 x 30 mm
100 x 50 mm



Barcode labels

- All substrates.
- Customisable.

SALES UNIT:
1000 / Roll



Ribbons

- Wax ribbons, wax in, wax out, wax resin and resin ribbons.
- Used for applications such as point of sale, weight scales, mailing, banking, ticketing, patient tracking, kiosks and document labelling.

Label design



- Artwork and design conforming to government regulations.
- Graphic reproduction supported by up to date software on both Macintosh and PC platforms.
- Barcode setting and advising.
- Full colour proofing.
- Flexographic plate manufacturing.
- Blank printed tags and self-adhesive labels.
- In-house and external sales support to project manage each requirement.

Specialized & custom



- Available in any shapes and sizes.
- Blank/coated labels, barcode labels, single/full colour printing.
- Various substrates and adhesives, UV varnishing, lamination.
- High quality, more economically priced option.
- Designs are printed directly onto the label.

Argox printer X1000

- Max. 4 IPS.
- 360m ribbon capacity, ribbon wound in or out.
- 4MB Flash ROM and 8MB DRAM memory.
- 1D and 2D Barcodes.

- Print Method: Direct Thermal & Thermal Transfer
- Print resolution: 203 dpi (8dots/mm)
- Print Width: max. 104mm
- Print Length: max. 1270mm
- Comm. Interface: USB, RS-232, Parallel



cp2140

x1000

powerscan

Argox printer CP2140

- 5' max. Internal media roll capacity.
- Max. 4 IPS, fastest print speed in its class.
- 300m ribbon capacity, ribbon wound in or out.
- 4MB Flash ROM and 8MB DRAM memory.
- 1D and 2D Barcodes

Print Method: Direct Thermal & Thermal Transfer

Print Width: Print Resolution: 203 dpi (8dots/mm)

Print Length: max. 104mm
max. 2540mm

Comm. Interface: USB, RS-232, Parallel

Datalogic power scan 9500 scanner

- Ruggedized cordless reader.
- Long lasting battery life.
- Handle shape, well-balanced weight and an intuitive aiming system.
- 1D/Linear Code and 2D Codes.
- Drop Resistance: cradle withstands 50 drops from 1.2m onto a concrete surface, 9500 withstands 50 drops from 2m onto a concrete surface.
- Interfaces: Bluetooth, Keyboard wedge and USB
- Colours: Yellow/Black.
- Weight: 380 grams
- Light Source: Aiming 630 - 680 nm VLD - Illumination : White LEDs.
- Read Per Charge: Continuous Reading 30 000+
- Reading indicator: Beeper (Adjustable Tone)
- Resolution: (max.) 1D Codes - 4mil ; 2D codes - 7.5mil

Argox printer CP2140e

- Same specs as cp2140 argox printer with ethernet port

Label applicator

- Driven with a stepper motor and drive.
- Construction is mainly from Stainless steel.
- Start Stop Sensors are in fixed positions and setup is done via Machine interface.
- Up to 10 product settings can be stored for ease of setup between containers.
- A Stainless-steel frame supports the labeller.
- Stainless steel IP65 enclosure to house the electronics.
- Manufactured in South Africa so spares are readily available.
- Apply up to 60 labels per minute. But limited to 18m/min based on a 50mm label.
- Accuracy - 2mm in either direction should be allowed for slippage.
- Stainless Steel conveyor with variable speed drive to suit application - optional.
- Specifications subject to change without notice.



Argox printer X2300e

Barcoding & labelling



Zebra printer GK420

- 6" max internal media roll capacity with compact size.
- Max. 7 IPS, fastest print speed in its class.
- 300m ribbon capacity, ribbon wound in or out.
- Twin sensor system for diverse media types.
- Expanded Flash and SDRAM memory.
- Easy Maintenance: tool free print head and Roller.
- 1D and 2D Barcodes

Print Method:	Thermal Transfer and direct transfer available
Print Resolution:	203 dpi (8dots/mm)
Print Width:	104mm max.
Print Length:	2540mm max.
Comm. Interface:	USB, RS-232, Parallel

Zebra printer ZT230

Max. 6" IPS.
450m ribbon capacity, ribbon wound in or out.
Fixed reflective and transmissive sensors.
128MB Flash and 128 MD RAM memory.
1D and 2D Barcodes.

Print Method:	Thermal Transfer and direct transfer available
Print Resolution:	203 dpi (8dots/mm)
Print Width:	114mm max.
Print Length:	991mm max.
Comm. Interface:	USB, RS-232, Parallel



Chipherlab cordless 1562 scanner

- Versatile, agile and priced right for long-lasting value.
- The 1500 series scanners capture data from regular too long barcodes with a choice of linear image, 2D image or Laser.
- Bluetooth Class 2.
- Coverage 295 ft. line of sight.
- 1D / Linear Code including GS1 Data Bar linear codes.

Optical Sensor:	Laser
Drop Resistance:	Withstands repeated drops from 1.2m onto a concrete surface
Interfaces:	Bluetooth Class 2
Colours:	Black
Weight:	177grams ultra light
Source:	Visible laser diode at 650 +/- 15 nm
Read Rate:	100 scans/sec.
Resolution:	4 mils (1D Scan)

Argox printer CP2240

- 6" max internal media roll capacity with compact size.
- Max. 7 IPS, fastest print speed in its class.
- 300m ribbon capacity, ribbon wound in or out.
- Twin sensor system for diverse media types.
- Expanded Flash and SDRAM memory.
- Easy Maintenance: tool free print head and Roller.
- 1D and 2D Barcodes.
- Print Method: Direct Thermal & Thermal Transfer
- Print resolution: 203 dpi (8dots/mm)
- Print Width: max. 104mm
- Print Length: max. 2540mm
- Comm. Interface: USB, RS-232, Parallel



Automatic L-sealer LA-6000CS and Tunnel TSS1845

An L-sealer shrink wrapping machine is a packaging device that wraps products in shrink film by sealing the film in an L-shape around the item. The product is placed between two halves of folded shrink film, sealed on all sides, and then passed through a heat tunnel to shrink the film tightly around it. This process results in a secure, professional-looking package, ideal for various industries like food, cosmetics, and retail. The machine is versatile, handling different product sizes and shapes, and often operates automatically for increased efficiency.

Alternative sizes on the L-sealer and tunnel units are available



Sealing area: 610 x 480mm
Max pack height: 200mm
output: 1200 to 1500 per hour, dependant on product size.

Media

A cutting-edge, Italian-made semi-automatic L-shaped sealer designed to work seamlessly with a heat shrink tunnel. This versatile machine is perfect for centre-folded PP, PVC, and POF shrink films, offering efficiency and precision in every use.

SPECIFICATIONS:

Sealing Area:	540 x 400mm
Reel Dimensions:	600mm x 350mm
Output Per Hour:	750 pph
Net/Gross Weight:	287 / 343kg
Power Supply:	230V
Max Absorbed Power:	5,7kw

Replay 55 evo

Our entry level Italian-made 3 in 1 cut, seal and shrink solution with an adjustable soft shrink function (Patented in over 30 countries). Set the shrinking parameters according to the weight of the product then adjust fan speed to achieve the best possible sealing with all films and product shapes.

SPECIFICATIONS:

Sealing Area:	540 x 390mm
Max Product Dimensions:	520 x 380 x 200H
Maximum Film Roll Size:	250diameter x 600mmW
Output Per Hour:	300 pieces
Net/Gross Weight:	142 / 166kg
Programmes:	10



Freska tabletop manual heat shrink ^{3 in 1} sealing bar 380 x 250mm

Freska is a revolutionary machine designed to package all types of trays on the market without the need for custom molds. The film adheres to any product, with or without trays. The machine also allows all types of films and pouches to be packaged. Ideal for packaging meat and all types of food. Freska allows the simultaneous installation of 2 reels (even with different characteristics) that are always ready to use. This saves time with each reel change.

SPECIFICATIONS:

Electrical power supply:	230V 1Ph
Maximum power installed:	2.7kW (230V)
Maximum current:	11.5 A (230V)
MAX product size:	350 x 240 x 140mm
MAX Reel Dimensions (open hood):	840 x 640 x 690mm
Machine dimensions (closed hood):	840 x 640 x 550mm





- The Alpha - Collaborative Robot Palletizer simplifies the pallet packing process by using a programmable robotic arm to lift, turn, and place items or boxes onto pallets. These robots are easy to program and adapt, making them highly efficient for handling repetitive or heavy tasks.
- By doing this, they help reduce physical strain on workers while maintaining consistency, accuracy, and safety in the packing process.

Model:	Parameter for APR-C20L	Parameter for APR-C20H
Speed:	5-10 cycles / min	5-10 cycles / min
Effective load bearing:	20KG	20KG
Floor area:	3600mm x 2850mm	3600mm x 2850mm
Power:	220V 3.75KW, 1Ph, 50Hz	220V 4.5KW, 1Ph, 50Hz
Working radius:	1650mm	1650mm
Palletizing height:	Fixed Base 1.65Meter	Liftable 2.2Meter
Placement rules:	AB stack	AB stack
Re-read positioning accuracy:	±0.04	±0.04

Applicable carton range:

APR-C20L:	L:180-520mm, W:280-520mm, H:180-420mm (apply to 1300mm x 1100mm)
APR-C20H:	L:180-520mm, W:280-520mm, H:180-420mm (apply to 1300mm x 1100mm)

Pallet size:

APR-C20L:	Maximum 1300mm x 1100mm Material: plywood, plastic, wood
APR-C20H:	Maximum 1300mm x 1100mm Material: plywood, plastic, wood

Barometric pressure:

APR-C20L:	0.4-0.8 Air consumption: 450L/min
APR-C20H:	0.4-0.8 Air consumption: 450L/min



head linear weigher

One head linear weigher

It's suitable for weighing slice, roll or regular shape products such as sugar, salt, seed, rice, sesame, glutamate, milk powder, coffee and seasoning powder, etc.

Special Features:

- Adopt no-grade vibrating feeding system to make products flowing more fluently.
- Cylinder stopper at the end of the feeder, where better accuracy and feeding is ensured.
- Program can be freely adjusted according to production condition.
- Can be remote-controlled and maintained through internet connection.



Pallet wrapper

A pallet wrapper is a type of pallet wrapping machine where the pallet is placed on a rotating turntable. As the turntable spins, stretch film is applied around the pallet to secure and stabilise the load for transport or storage. This method is efficient and ensures consistent wrapping, making it ideal for various industrial applications.

SPECIFICATIONS:

Control System:	PLC+ Screen control
Diameter of turntable:	1500mm max
Pallet height:	2100mm
Max pallet weight:	2000kg
Film reel inside diameter:	75mm
Film reel outside diameter:	250mm
Turntable speed:	1-10 cycles/minute
Turntable height:	80mm
Turntable motor:	0.75kw
Film-reel lift motor:	0.1 Bkw
Power supply:	220V 50HZ 1 Phase

- Precise phase stopping at cycle end.
- Photocell to read pallet height.
- Mechanical stretch.
- Soft start and stop.
- Variable turntable speed.
- Screen control.

SPECIFICATIONS:

Weighing Ranging:	10-3000g
Accuracy:	1-5g
Weighing Speed:	10-15wpm
Weigh hopper size:	4.5 litres
Infeed hopper:	40 litres
Power:	AC 220±10%V, 50/60Hz
Required current:	2.5 amps
Compressed air required: Pressure - 600 KPA usage - 2 litres / minute	



Paper void filler and wrapper

Paper Filler/Wrapper is made of biodegradable film and kraft paper material, which is a new eco-friendly cushion material, 100% biodegradable. It is a good alternative to PE material, providing better protection for your goods

Eco-friendly cardboard shredder

Kobra Flexpack transforms used cardboard boxes into padded filling material and padding mats either as a packing/cushioning material or as a filling material. Flexpack simultaneously cuts and perforates cardboard and creates high-quality packaging material. This will help save cost, time and protects the environment.

SPECIFICATIONS:

Throat width:	427mm
Shred size:	5 x 100 mm
Cardboard capacity* (depending on thickness):	Up to 3 cardboard layers
Shreddable materials:	Cardboard
Speed:	210mm/sec
Noise level:	58 dB(A)
Voltage:	230 Volt / 50-60 Hz
Power:	2100 Watt
Dimensions (WxDxH):	700 x 510 x 1170 mm
Net weight:	140 Kg

Mini air pro 2

The Mini Air Pro 2 is our newest industrial air cushion/quilt machine. Make protective/cushioning packaging on demand. Perfect solution for customers looking for an environmentally preferred solution for void fill and cushioning applications. Engineered to save money by minimising roll changeover, minimising downtime, and increasing productivity.

SPECIFICATIONS:

Weight:	9kg
Power:	240w
Size:	L375 x W340 x H390 (mm)
Voltage:	AC 110V/220V, 50HZ-60HZ
Speed:	25m/min

Optional Extensions: Roller Winder, Basket, Overhead Opener, Underside-table Basket, Foot Pedal.

Gas powered heat gun

- Used to shrink wrap pallets, shrouds, or for heating of large surfaces.
- Low operational cost as energy is only used when needed.
- Any size pack can be shrunk.
- Instant heating of the gas heads means no waiting for system to get to temperature.



Application:

- Software, food, cosmetics, printing, pharmaceutical, flooring, ceramics, beverage, metal, plastics and other industries large quantities of shrink wrap. Suitable for OPP, POF, PE, PVC and other shrink packaging materials.

Features:

- Constant heated sealing blades can perform continuously, which enables no limit of product length and high capacity of up to 60 bags per minute.
- Auto photocell in-feed system provides both horizontal and vertical choices to suit various product sizes.
- Product changeovers can be easily realised by hand wheel adjustments, no elements need to be replaced.
- Machine produces an enclosed pack with sealing on 3 sides.
- Applicable for PE, POF and other centre-folded shrink films, especially for POF shrink film packing.
- Automatic Waste Strip wind up design.
- Motor-driven in feed conveyor and free roller Out-feed conveyor are options for fully automatic application.

Continuous side sealers APSS 5022 III



SPECIFICATIONS:

format limits (product width + height):	450mm
Sealing width:	500mm
Product height:	220mm max
Film width:	650/650mm
Power:	220V/1 ph 3kw
Conveyor speed:	35M/min (max)
Capacity (max):	60p/min servo
Sealing method:	Drive seal



Sleeve wrapping sealers APW-6040D

curtain sealer

- Direct feed-in type conveyor, no limit to packaging length.
- Machine can be incorporated with a line or operated individually.
- Digital temperature controller assures accurate sealing temperature.
- Sensor-controlled production process.
- The heated, consistent-temperature sealing system ensures neat and firm sealing.

SPECIFICATIONS:

Sealing Width:	600mm
Product Height:	400mm
Power:	380V/3ph 1,5kw
Capacity (max):	20p/min
Application Multi-format type:	With tray or single piece
Product Feeding:	Direct feed-in fully automatic

Two servo pillow pack VFFS machine

Automatic packaging of liquid, powder and granule in formed pouch for the food, pharmaceutical, chemical and other industries

SPECIFICATIONS :

Model No:	PM-430-S2	PM-530-S2
Max. Measuring Range (ml):	1000	2000
Bag Length (mm):	80-300	80-390
Bag Width (mm):	80-200	90-250
Film Width(mm):	Max. 430mm	Max. 530mm
Speed (Bag/min):	20-80 ppm	20-70 ppm
Power:	220V/1ph, 3.8Kw	220V/1ph, 3.5Kw



two servo

Cleaning, safety & chemicals



- Dust masks (ffp1 / ffp2)
- Dust masks (ffp2 / ffp3) with valve
- Cartridges
- various options available
- Single respirator
- half mask and double available



- Green lined welding gloves
- available in: 2.5 wrist; 8" elbow and 16" elbow.
- Chrome leather double palm gloves
- available in: 2.5 wrist; 8" elbow and 16" elbow.



- Earplug uncorded disposable
- Earplug corded disposable
- Foam earplug corded
- Reusable earplug corded
- Ear muffs
- all offer protection and have various NRR returns.
- Hellberg



- **Dust coats**
 - various colours available
- **Two piece conti suits**
 - Available in 80/20; 65/35, 100% cotton and Flame/Acid
- **Heavy duty rain coats**
 - pvc rubberized



Dust coats

Two piece conti suits

Heavy duty rain coats

- **Freezer suit**
 - single and double lined
- **Reflective vests**
 - various colours available
- **Safety shoe**
- **Safety boots**
- **Gum boots**



reflective vests

freezer suit

safety shoe



gum boot

safety boot

Disposable apron



chrome leather apron

blood & fat apron

pvc aprons



shoulder pvc gloves



cotton working gloves



polka-dot gloves



red pvc safety cuff

red pvc knit wrist

elbow pvc gloves



crayfish gloves



comarex gloves



gripper gloves



house hold gloves



green nitrile gloves



black rubber gloves



- Beard covers



- Plastic & pvp sleeve protectors

- available in various colours.



- Shoe covers

- pvc / plastic / non-woven.



- Disposable plastic gloves



- Disposable coveralls

- available in various sizes.



3ply Face masks with ear loops



• 36l Plastic trolley including plastic winger

• Caution when wet floor sign

• Mops

- long hair
- short hair
- fan mop



Paper products

- 1-Ply Toilet Paper Industrial
- 1-Ply Toilet Paper Virgin
- 2-Ply Toilet Paper STD
- 2-Ply Toilet Paper Wrapped

Paper products

SIZE:

- 1 Ply wiper rolls
- 1 Ply wiper rolls
- 1 Ply wiper rolls
- 1 Ply "tidy towel rolls"

ROLL SIZE:

- 165mm x 1500 meters
- 183mm x 1500 meters
- 272mm x 1000 meters
- 206mm x 300 meters

- Dispenser sold separately.

- Disposable lab coats

- available in various sizes.

- Mop caps

- available in various colours.

- Nitrile gloves

- SIZE: S, M, L, XL
- powder free
- latex free
- non-sterile & ambidexterous

- Latex gloves

- SIZE: S, M, L, XL
- Powdered
- Powder free



- HACCP: food safety system

- HACCP stands for Hazard Analysis and Critical Control Point, a system to prevent cross-contamination and other hazards
- our HACCP range

Cleaning, safety & chemicals



• Green scourers



- General purpose cleaners

- dishwashing liquid, ammoniated cleaner, bleach, wash and wax, window cleaner, degreasers, general cleaner

- Toilet & drain cleaners

- toilet bowl cleaner, deo blocks, pine gel

- Hygiene soaps

- hand soap, grit cleaner, anti-bacterial

- Platform brooms

- Platform Brooms (soft & hard bristle).
- 450mm - 600mm

- Scrubbing brush

- Large scrubbing brush.
- Soft carpet brush.
- Small scrubbing brush.

- Household brooms



- Refuse bags

- Coloured polo rags

- Spunlace cloth/kim cloth

- various colours available

- 25kg Vesting rags

- 25kg White rags

- 400gr Mutton cloth



Strapping



OMS Pneumatic strapping tool

- Italian Made, heavy duty pneumatic strapping tool for 12 19mm PET strapping - friction weld.

Hand tensioning tool (polytensioner)

- Suitable for PP, polywoven & PET.

OMS Battery operated strapping tool

- Battery operated strapping tool for PET and PP strapping friction.



Heavy duty strapping tensioners

A333 Sealess strapping combination tool for steel strapping

- 19-32mm steel strap.

H44 Combi tool 12/16mm

- PET strapping

S227 Rack tensioner

- 19-32mm steel strap
- Different tools available upon request

Manual crimper

- Crimper for strapping seals.
- Available in different sizes and specs.



steel strapping dispenser



polyprop/polywoven strapping dispenser



pet strapping dispenser

hand strapping**semi auto****full auto****Full auto**

Specific sizes and colours available upon request.

SALES UNIT: Roll

Colour: White, Black, Blue

SIZE:

6mm x 3000m

9mm x 4000m

12mm x 3000m

polywoven strapping**composite/cord strapping****pet strapping****Semi auto**

Specific sizes and colours available upon request.

SALES UNIT: Roll

Colour: White, Black, Blue

SIZE:

9mm x 4000m

12mm x 2000m

12mm x 2500m

Polywoven strapping

SALES UNIT: Roll

SIZE:

13mm x 1000m

16mm x 1000m

19mm x 500m

19mm x 500m (1 red line)

19mm x 500m (2 red line)

32mm x 500m

Composite/cord strapping

SALES UNIT: Coil

SIZE: coils / box

19mm x 600m 2

32mm x 300m 2

Pet strapping

Specific sizes and colours available upon request.

SIZE:

9mm x 0.6mm x 3000m

12mm x 0.6mm x 2500m

15.5mm x 0.9mm x 1200m

16mm x 0.6mm x 1800m

16mm x 0.8mm x 1250m

19mm x 1mm x 1000m

(Black/Smooth)

Hand strapping

Specific sizes and colours available upon request.

SALES UNIT: Roll

Colour: White, Black, Blue

SIZE:

12mm x 1500m

12mm x 2000m

15mm x 1000m

19mm x 1000m

Bright steel strapping

SALES UNIT: kg

SIZE:

10mm x 0.5mm

13mm x 0.5mm

16mm x 0.5mm

19mm x 0.5mm

19mm x 0.8mm

32mm x 0.8mm

Strapping seals

- Open, closed & serrated

SALES UNIT: bag

SIZE:

10mm

13mm

16mm

19mm

32mm

Strapping buckles metal

- Non-slip, metal & plastic

SIZE:

10mm

13mm

16mm

19mm

32mm

**P1604 Combination tool**

- Tensioner crimper for 12mm PP

**ADQ19 Pneumatic strapping tool**

- Economical strapping tool for 12-19mm.

- PET and PP strapping - friction weld.

Semi auto strapping machine



- Speed up your box strapping with this easy to use and cost effective strapping machine.

SPECIFICATIONS:

Strap Width:	5-15mm
Speed:	2,5 seconds per strap
Power Supply:	100/110/220/230/240v - 1 phase
Power Consumption:	0,4kw
Machine Tension:	5-50kgs
Machine Dimension:	895L x 565W x 740mmH
Machine Weight:	80kg

Fully automatic strapping machine

- Speed up your strapping process. Go to the next level 26 straps per minute.

SPECIFICATIONS:

Strap Width:	9-15mm
Speed:	26 straps/min - 50hz
Power Supply:	100/110/220/230/240v - 1 phase
Power Consumption:	1 kw
Machine Tension:	10 - 70 kgs
Machine Dimension:	1450L x 640W x 1500mmH
Machine Weight:	230 kg



Pallet strapper TP-602MV



- A robust and user friendly semi-automatic way to speed up your pallet strapping process.

SPECIFICATIONS:

Strap type:	PP and PET strapping
Strap with:	9mm / 12mm / 15.5mm
Sealing Height:	485mm
Power Supply:	1Ph 220V

- Fully automatic pallet strapping system.

SPECIFICATIONS:

Strap type:	PP and PET strapping
Strap width:	9mm / 12mm / 15.5mm / 19mm
Power Supply:	3Ph 380V
Capacity:	72 pallets per hour (2 parallel strap)
Arch Sizes:	Different size available



Fully automatic strapping system TP -702



- Easily integratable, in-line strapping system designed to strap at high speeds.

SPECIFICATIONS:

Strap type:	PP Fully automatic
Strap width:	5mm / 6mm / 9mm / 12mm
Power Supply:	1Ph 220V
Capacity:	40 packages per minute
Arch Sizes:	Different size available

Fully automatic corrugated strapping system TP -702C



- Easily integratable, in-line strapping system designed to strap corrugated box bundles at high speeds.

SPECIFICATIONS:

Strap type:	PP and PET strapping
Strap width:	5mm / 6mm / 9mm
Power Supply:	3Ph 380V
Capacity:	33 Bundles/minute (single strap)
Converyor speed:	15-60 meters/minute
Arch Sizes:	Different size available

Strapping machinery

Thermal Ink Jet (TIJ) Gx-Series

Gx-Series Thermal Ink Jet Printers - Clean. Clear. Coding.

- Gx-Series printing solutions are versatile, easy to integrate, easy to operate - the perfect fit on many printing applications and substrates. With latest networking technology and producing graphic code quality, the Gx-Series is ideal, not only for batch and date coding, but also for complex code formats, check weighing, and track & trace applications across FMCG industries. If you are looking for a coding solution that is designed for high resolution printing at high line speeds with complete reliability

Easy to integrate - Small footprint: easy printhead integration and remote controller mounting.

- Track & trace and item level serialisation via Dynamark protocol: 21 CFR Part 11 compliant, audit trail with comprehensive user administration, validation documentation available.
- The Gx-OEM controller model is optimised for control cabinet integration.

Easy to operate - Effortlessly run printers through the feature-rich touchscreen interface or remotely via web browser.

- Create and edit labels directly on board.
- Automatic cartridge recognition and ink parameter setting.
- Continuous Operation: for uninterrupted production the AutoSwap functionality enables cartridge change while printing.
- A Bulk Ink system is available for long-run operation without the need for any operator intervention.
- Multiple printhead capability for dual-sided box coding, message heights up to 50.8mm or 4 individual applications.
- Graphic printing quality, on paper, card, plastic, metal, and many other materials.
- Flexible label design: text, counters, clocks, graphics, logos, barcodes can all be included on the same label.
- Grade A code readability (ISO 15415) using Domino's inks on high density datamatrix codes.
- Gx150i - Batch, date & time, barcodes using 1 or 2 printheads; serialisation option.
- Gx350i - Controls up to 4 printheads, IP64 rated controller for dusty or wet environments, fieldbus option
- Gx-OEM - Seamlessly integrates with production machinery, controls up to 4 printheads, fieldbus option.



Thermal Transfer Overprint (TTO) Vx-Series

Vx-Series - Coding on flexible packaging has never been easier.

- The Vx-Series offers you an affordable and efficient printing solution for your flexible packaging. With a strong focus on simplifying the operators daily work, which will deliver great performance when printing codes and text, as well as graphics and logos, on your products.
- The Vx-Series helps you protect your customers, by providing the information they need via high-resolution codes. It will also ensure you minimise downtime, maximise throughput, and reduce your Total Cost of Ownership (TCO).

Great performance.

- The Vx50i offers print rates of up to 4 prints per second and prints on areas up to 32x55mm.
- The Vx150i meets current and future production needs with 300dpi resolution, print rates of up to 6 prints per second and a large IM stroke.
- Cassette-based ribbon loading and long ribbon roll capability allow for longer production runs to minimise downtime.
- Machine-readable codes, text, and logos in different colours to match your coding needs on pouches, films, wrappers, labels, sachets, bags, or stick packs.
- Cost efficient - With four ribbon saving modes the Vx-Series allows you to use less ribbon per print.
- Fully electric, with no need for factory air, to reduce cost and maintenance. Easy to use - Easy to thread, flat resting and lightweight cassettes with quick release spindles enables faster and easier ribbon changeover.
- Compact footprint to fit in space-constrained packaging machines including labellers, VFFS, HFFS, and flow wrappers.
- An optional 7inch touchscreen provides a simple interface where labels can be easily created and edited.



Continuous Ink Jet (CIJ) Ax-Series

Ax-Series Continuous Ink Jet Printers

- Speed, accuracy and the ability to perform in the toughest environments give our Ax-Series printers the leading edge.
- Designed to boost production effectiveness.
- The Ax-Series printers are an easy to operate coding solution for all your date coding, traceability or product branding requirements.
- The Ax-Series is compatible with Industry 4.0 standards.
- Domino's service-free ink system with our i-Pulse printhead technology ensures high code quality even in tough production environments.

Maximum uptime on your production line

- Service-free.
- Maintaining the Ax-Series printers is effortless: replacing the i-Techx module (ITM) is a less-than ten-minutes operator task and removes the need for traditional servicing.
- Automatic ink monitoring lets you know when consumable changes are required; you can do them in run without stopping the line.
- Getting printers started is simple using the operator friendly single button start.
- Ax150i – an ideal solution for all your basic coding needs
- Ax350i – all the flexibility CIJ has to offer
- Ax550i – in harsh environments you can't beat the Ax550i

Domino inks

- Domino supplies a range of inks manufactured to GMP (Good Manufacturing Practice) which are compliant with leading global legislation for food packaging.
- Designed to support a wide range of applications, our i-Pulse inks easily adhere even after harsh post-print processes.
- Inks are available in a range of vivid colours producing highly durable codes for the lifetime of your product.



Laser D-Series

D-Series Lasers A diverse range of applications.

- The D-Series laser system produces unlimited lines of text in any orientation, and in many fonts and sizes. It is equally suitable for both graphics and 2D datamatrix codes. All are permanently applied to a wide range of materials from low to high production line speeds.
- Special lasers for clear codes on PET and PP materials plus a special scan head option for larger web coding applications.
- High quality at highest line speeds.
- The new D-Series, with no need for inks or solvents – minimising waste as well as 20% reduced weight (versus previous models) helps you to reduce your carbon footprint. Automatic temperature controlled fan cooling means the coder saves energy whenever applications allow.

F-Series Premium Fibre Laser

- TF-Series is the ultimate fibre laser for your production line, allowing you to reduce your total cost of ownership for coding and marking while achieving top code quality. Fibre laser is a Domino-developed, market proven laser technology, which is versatile and optimised for a variety of industries.
- Electronics - For housings, switches, power supply units, circuit boards, and many more.
- Food - For a wide range of food applications, from flexible pouches and films for confectioners and fruit packers, to plastic pots and steel tins for dairy producers and food canners.
- Pharma - For pharmaceutical products and medical devices such as asthma cans, insulin pens, ampoules, and many more.
- Industrial - For industrial parts and automotive applications such as pipes, saw blades, oil filters, breaking discs, sparking plugs, or license plates.
- Tobacco - For tobacco pouches and e-vapour products.
- With the F-Series range, Domino offers the models: F230i CP, F230i EP, F520i and F720i, so you can choose the optimal power class and wavelength for your coding needs.

Coding & marking



Piezo Ink Jet (PIJ) Cx350i

- The Cx350i delivers consistent, high-contrast printing directly onto your porous boxes and cases.

Unlock the power of direct box coding

- Brand logos and graphics.
- Grade-A 1D and 2D barcodes (including GS1-128, GTIN-14).
- Product batch information and serialised data for product traceability.
- Flexibility with the remote head to print downwards onto the top surface, to print lower onto the box/tray, to print on an incline, and to overcome space constraints.

Cost-effective, high-quality printing.

- Less stock and waste from pre-printed boxes and labels.
- Vegetable-oil-based, environmentally friendly inks.
- Flexible print resolution for best code quality at lowest ink usage.

Code accuracy and consistency.

- Smart integration with coding automation software for accuracy.
- Barcode scanner and vision control integration to confirm the readability of every printed code.

Big on Connectivity - Industry 4.0 ready and designed for seamless integration.

- A broad range of connectivity options for integration to factory equipment, using PLC standard interfaces including EtherNet/IP™.
- The Cx350i integrates with factory MES and ERP systems.
- Domino Cloud gives you 24/7 visibility of the printer's performance and utilisation, allowing you to drive overall equipment effectiveness (OEE) and maximise your profitability.

The Cx350i makes box coding easy

- Simple operation: with Domino's intuitive QuickStep touchscreen user interface.
- No line stops: ink can be replenished during production.
- Free from regular maintenance, with no factory air or filter changes.



Print and Apply (PALM) Mx-Series

- The Mx-Series ensures you are equipped with an automated print and apply system that prints and applies labels with variable data accurately and consistently, reducing the risks of human error. This is crucial in all industries where precise labelling is essential for product tracking, compliance, and quality control. With the x350i's we can offer a bespoke installation suited to your manufacturing site, making sure to streamline your labelling process whether you need a label on the front, rear, top, side, or corner of a product or package.

Easy to integrate

- The Mx350i's advanced connectivity options allow for seamless integration with ERP, WMS, and MES systems in your factory.
- The Mx350i's are compact and versatile printing and labelling systems that can be easily integrated into any production line.
- Available in both left- and right-hand variants, it can be used in a variety of different applications.

Easy to use

- The integrated UI and optional remote 10-inch touchscreen are both designed to be simple and easy to navigate.
- The robust design and smart functionality of the Mx350i's minimise the time needed for media changes and maintenance, helping to maximise your production uptime.

Easy to adapt

- The Mx350i's are built to last, with the flexibility to adapt to your evolving labelling needs without the need for costly investments.
- The Mx350i's are highly configurable and offers several options to further refine and simplify your labelling processes.

R-Series, the smart vision system from Domino

R-Series - Code with Confidence



- Code Presence
- Code Position
- Character Count
- MRC Check
- OCR/OCV content checking

R-Series - Code with Confidence

- A turn-key solution from a single trusted supplier. Designed to work with the entire Domino equipment portfolio, the R-Series Domino vision system range eliminates labour-intensive manual inspections, reduces the amount of scrap, and helps to avoid the expense and brand damage

Protect your brand

- Ensure readability of every code.
- Avoid regulatory/retailer penalties.
- Avoid potential costs associated with scrap and recalls.
- Eradicate costly manual inspections.

Smart means simple

- Coding and Marking tailored solution.
- Fully compatible with all the Domino equipment.
- Easy to install and operate.
- Scalable to your future needs without changing hardware.

Product, Primary and Secondary Packaging

Thermal Ink Jet (TIJ)



G-Series G50i Thermal Ink Jet Coder

- Self-installed, high-resolution thermal ink jet printer for your primary packaging, shelf ready display boxes and outer case coding needs.
- The G50i is our entry-level thermal ink jet (TIJ) printer which is an ideal option for those looking for a simple-to-use, simple-to-run system for basic product and box coding. It is made up of two components – a printhead and touchscreen – making it easy to self-install, easy to fit into your existing production lines, and easy to use.

High-quality print

- Two printhead variants available: GP Printhead and EXT printhead
- Print height up to 12.7mm with the GP option, suitable for all of your standard & high-speed coding needs, and 26.1mm with the EXT option, for larger machine-readable codes and your outer case coding needs.
- For fast-paced production lines, the G50i can code up to speeds of 76m/min with the GP option, and 60m/min with the EXT option at 300x300dpi (ink dependent).
- Print high resolution human- and machine-readable codes up to 600x600dpi with the GP option, or up to 300x600dpi with the EXT option.

Materials handling



Pallet jacks

	Standard fork	Narrow fork
Capacity:	3000kg	3000kg
Fork Width:	685mm	550mm
Standard Fork Length:	1200mm	1200mm
Lowered Height:	85mm	85mm
Lifting Height:	200mm	200mm
Load Wheel:	Tandem, nylon	Tandem, nylon
Steering Wheel:	Nylon	Nylon



Pallet jacks with scale

Capacity:	2000kg / 3000kg
Fork Width:	685mm, 550mm
Standard Fork Length:	1200mm
Lowered Height:	85mm
Lifting Height:	200mm
Load Wheel:	Tandem, nylon
Steering Wheel:	Nylon

Manual stacker

- Available in straddle and forkover	
Lifting Height:	3000mm & 1600mm
Capacity kg:	1500, 1000
Load Centre:	600mm
Turning Radius:	2100mm
Overall Height:	2170mm
Steering Wheel:	200mm



Semi-electric stacker

- Available in straddle and forkover	
Lifting Height:	3500mm
Capacity kg:	1500kg
Load Centre:	600mm
Turning Radius:	2100mm
Lifting Motor:	12v/1600w
Battery:	12v/120AH
Overall Height:	2170mm
Steering Wheel:	200mm

Fully electric stackers

Fully electric stacker with reach & tilt

Capacity:	1500kg
Load Centre (C):	600mm
Operating Type:	Ride on
Optional lifting Height:	3300mm / 4500mm / 5500mm
Fork Height (B lowered):	85mm
Fork Dimensions (F1 x F):	540 x 1150 / 685 x 1200mm
Min. Turning Radius (R1 / R2):	1630 (folded) / 2040mm
Aisle width for pallet:	800 x 1200 (N) 2230mm
Aisle width for pallet:	1000 x 1200 (M) 2260mm





Plastic bins

- Available in various colours.

Size 2 -	135(L) x 105(W) x 75(H)
Size 3 -	190(L) x 105(W) x 75(H)
Size 4 -	210(L) x 140(W) x 130(H)
Size 5 -	280(L) x 140(W) x 130(H)
Size 6 -	280(L) x 210(W) x 180(H)
Size 7 -	375(L) x 210(W) x 180(H)
Size 8 -	375(L) x 420(W) x 180(H)

Poly link bin boxes

- Made from durable 5mm correx (plastic based) material and are ideal for the storing of spares and small components.
- Available in corrugated options on request.

SIZE:

Small -	300mm x 75mm x 100mm
Medium -	300mm x 100mm x 100mm
Large -	300mm x 150mm x 100mm

Various storage boxes

- Available in black

SIZE:

25L ST-BX-025-BLK
42L ST-BX-042-SPC
70L ST-BX-070-BLK
100L ST-BX-100-BLK

Truck corner plates

- Plastic truck corners used in cargo loading.
- Various colours available.

SIZE:

1.2m wide

Wood pallet

- Custom options available on request.
- Treated/non-treated options available.

SIZE:

800 x 1200 euro pallets, all grades (available on request).
1000 x 1200 standard perimeter pallets, all grades (available on request).



Plastic pallet

- Light duty and heavy duty options available.
- New and used options available.

SIZE:

800 x 1200 euro pallets, all
1000 x 1200 standard

louvre panel

- Available in various sizes
- Standard and custom options available on request



High lift pallet jacks

- Available in Narrow and Standard Fork.
- Capacity (Standard Fork size): 1000kg



Overall Fork Width:	685mm and 550mm
Standard Fork Length:	1200mm
Lowered Height:	85mm
Lifting Height:	900mm
Load Wheel:	Tandem, nylon
Steering Wheel:	Nylon

Fully electric stacker

Capacity:	1500kg / 2000kg
Load Centre (C):	600mm
Operating Type:	Walk behind / ride on
Optional lifting Height:	3300mm / 4500mm / 5500mm
Fork Height (B lowered):	85mm
Fork Dimensions (F1xF):	540 x 1150 / 685 x 1200mm
Min. Turning Radius (R1 /R2):	1630 (folded) / 2040mm
Aisle width for pallet:	800 x 1200 (N) 2230mm
Aisle width for pallet:	1000 x 1200 (M) 2260mm



Shelving & racking

- Standard and custom options available.
- Available in light, medium and heavy duty.

Lockers & cabinets

- Available in a variety of options on request.



Aluminium ladders

- Available in single side and double side.
- Fibreglass options available on request.
- Available from 4 steps to 12 steps.

Mobile ladders

- Mobile Safety Ladders used in warehousing.
- Available from 3 step to 15 step options.
- Galvanized.



Large-FN2

Medium-FN1

Small-FN3



620x1150mm



570x1150mm



470x1150mm

Fold nose trolleys

- Capacity 250kgs



Platform trolley

- Capacity 500kg
- Dimensions: 1225 L x 685 W



Coke trolley

- Capacity 220kg
- Dimensions: 1230 H x 340 W



Platform scale

- Various platform sizes and capacity options available



Price computing scale

- Max weight: 30kgs
- SABS approved



Industrial pallet scale

- Power coated mild steel
- Various platform sizes and capacity
- Options available on request

Materials handling



Picking trolley

- OP36/2 (2 tier)
- Dimensions: 920L x 515W x 915H
- Capacity: 220kg
- OP36/3 (3 tier)
- Dimensions: 920L x 515W x 915H
- Capacity: 220kg

Mammoth trolley


- Dimensions: 500L x 600W
- Capacity: 900kg

Manual lift tables



- Manual scissor lift table, 750kg up to 1000mm.
- Available in manual or electric options.
- Custom options available on request.

<https://www.pointpackagingsa.net>



Google Maps & Waze
Search: *Point Packaging SA*

Point

Packaging

**436 Elgin Ave, Ferndale, Randburg
2194, South Africa**

011 789 7077



Thank you for choosing Point Packaging.

For personalised quotations or further assistance, please contact us directly.

Sales: sales@pointpackaging.net

General: admin@pointpackaging.net

Our knowledgeable and friendly team is ready to support you with tailored solutions to meet your packaging needs.

Your End-to-End Packaging Partner